

Accessories for Tour Guide System

- TGS-CHG50 32-Port Charging Case for TGS-50
- TGS-CHG55 55-Port Charging Case for TGS-50
- TGS-M01 Mini microphone for TGS-50
- TGS-M02 Lavalier microphone for TGS-50
- TGS-M03 Headset microphone for TGS-50
- TGS-E01 D shape earpiece for TGS-50
- TT002 16-Port USB Charging Base
- TT003 3.5mm Universal Earpiece
- TT015 32-Slot Charging Case for TT122
- TT016 48-Slot Carry Case for TT116 TT122
- TT017 50-Slot Carry Case for TT117&TT118
- TT019 Universal Disposable Earpiece
- TT020 30-Slot Charging Case for TT116
- TT021 32-Slot Charging Case for TT129

- 
- TT022 24-Slot Charging Case for TT126 Main Transmitter and TT126 Vice Transmitter
 - TT024 45-Slot Charging Case for TT127
 - TT025 28-Slot Charging Case for TT127
 - TT030 28-Slot Charging Case for TT126R
 - TT031 30-Slot Charging Case for TT126E
 - TT032 Headset Microphone for TT126
 - TT034 Adjustable Over Ear Headphone
 - TT035 32-Slot Charging Case for TT106S
 - TT035A 64-Slot Charging Case for TT106S
 - TT036 22-Slot Carry Case for TT106S
 - F4511B Clip-on Lapel Microphone
 - LP24032101 45-Slot Charging Case for TT126
 - CHG01 28-Slot Charging Case for TT128
 - CHG02 45-Slot charging case for TT128



TGS-CHG50

32-Port Charging Case for TGS-50

Specification

Charging port:	32
Input:	AC110-220V, 50/60Hz
Output:	DC 5V 20A
Size:	46L*20W*27H (CM)
Weight:	4.1kg



TGS-CHG55

55-Port Charging Case for TGS-50

Specification

Charging port:	55
Input:	AC110-220V,50/60Hz
Output:	DC 5V 40A
Size:	56L*20W*37H (CM)
Weight:	5.8kg



TGS-M01

Mini microphone for TGS-50

Specification

Plug size:	3.5mm
Frequency response:	50Hz-16KHz
Sensitivity:	-38dB
Wire length:	20mm
Weight:	15g

TGS-M02

Lavalier microphone for TGS-50

Specification

Plug size:	3.5mm
Frequency response:	50Hz-16KHz
Sensitivity:	-38dB
Wire length:	900mm
Weight:	19g



TGS-M03

Headset microphone for TGS-50

Specification

Plug size:	3.5mm
Frequency response:	50Hz-16KHz
Sensitivity:	-38dB
Wire length:	900mm
Weight:	30g



TGS-E01

D shape earpiece for TGS-50

Specification

Plug size:	3.5mm
Wire length:	600mm
Weight:	23g



TT002

16-Port USB Charging Base

Specification

USB output:	DC 5V; 7A
Adapter input :	AC100-240V 50/60Hz
Size:	190 x 95 x 50mm
Weight:	430g



TT003

3.5mm Universal Earpiece

Specification

Interface:	3.5mm
Weight:	71g



TT015

32-Slot Charging Case for TT122

Specification

Input :	AC110-230V, 50/60Hz
Output:	DC 5V, 16A
Size:	484 x305 x 133mm
Weight:	3.6kg

TT016

48-Slot Carry Case for TT116 TT122

Specification

Number of slots:	48 ports for the receivers, 2 slots for transmitters
Material:	Nylon cloth wrapped with EVA
Size:	370*340*110mm/14.56*13.38*4.33 inch
Weight:	1890g



TT017

50-Slot Carry Case for TT117&TT118

Specification

Material:	Nylon cloth wrapped with EVA
Size:	370*340*110mm/14.56*13.38*4.33 inch
Weight:	1890g

TT019

Universal Disposable Earpiece

Specification

Plug:	3.5mm
Length:	600mm/23.62in



TT020

30-Slot Charging Case for TT116

Specification

Input:	AC110-220V, 50/60Hz 5V10A
Output:	DC 5V, 300mA
Size:	343*166*314mm
Weight:	3202g



TT021

32-Slot Charging Case for TT129

Specification

Size:	425mm(L)*305mm(W)*170mm(H) (including handle)
Weight:	4030g (including adapter)



TT022

24-Slot Charging Case for TT126 Main Transmitter and TT126 Vice Transmitter

Specification

Size:	52cm(L) *24cm(W)*34cm(H)
Weight:	5200g



TT024

45-Slot Charging Case for TT127

Specification

Charging port:	45
Input:	AC110-220V 50/60Hz
Output:	DC5V/40A
Size:	56*13*37cm
Weight:	5.2kg



TT025

28-Slot Charging Case for TT127

Specification

Charging port:	28
Input:	AC110-220V 50/60Hz
Output:	DC5V/20A
Size:	46*13*27cm
Weight:	3.4kg



TT030

28-Slot Charging Case for TT126R

Specification

Charging bits	28+2 (28 ear-hook receiver contact positions, 2 USB charging positions)
AC Input	110-220V/AC
DC Output	5V/DC 20A 100W
Dimension	46L*13W*27H(CM)
Weight	3.4Kg
Charging Time	2H
Charging Current	230mA
Safety Protection	Over-voltage and over-current power failure protection, short circuit protection



TT031

30-Slot Charging Case for TT126E

Specification

Charging port:	30
Input:	AC110-220V 50/60Hz
Output:	DC5V/20A
Size:	46*13*27cm
Weight:	3.4kg



TT032

Headset Microphone for TT126

Specification

Weight:	220g
Color:	Black
Impedance:	32Ω
Frequency Response:	30Hz - 18kHz
Maximum Input Power:	50mW
Sound Pressure Level:	102dB
Connector:	3.5mm L-shaped *4



TT034

Adjustable Over Ear Headphone

Specification

Size	225.5mm×172mm/8.9 x 6.8"
Color	Black
Material	ABS Waterproof
Weight	Noise canceling headphones: 316g Noise canceling microphone headphones: 358g
Voice coil impedance	300Ω±15%
Voice coil specifications	φ13.6mm
Sensitivity	87±3dB
Input power	PATED POWER INPUT: 20mw MAX POWER INPUT: 50mw
Abnormal sound	SIN WAVEV2.4V
Heat resistance	55°C±2°C20~25%R.H 4 HOURS
Moisture resistance test	'-20°C+2°C90-95%R.H 4 Hours
Magnet Size	φ12.5*H1.5mm
Storage temperature	'-40°C-70°C
Operation temperature	'-30°C-65°C



TT035

32-Slot Charging Case for TT106S

Specification

Dimensions:	305mm(Length)*148mm(Width)*330mm(Height)
Weight:	3012.0g



TT035A

64-Slot Charging Case for TT106S

Specification

Dimensions:	584mm(Length)*305mm(Width)*148mm(Height)
Weight:	3828g



TT036

22-Slot Carry Case for TT106S

Specification

Dimensions:	305mm(Length)*148mm(Width)*330mm(Height)
Weight:	3012.0g



F4511B

Clip-on Lapel Microphone

Specification

Plug size:	3.5mm
Frequency response:	50Hz-16KHz
Sensitivity:	-38dB±3dB
Directivity:	omnidirectional
Wire material:	nylon braiding cable
Wire length:	900mm
Weight:	18g

LP24032101

45-Slot Charging Case for TT126

Specification

Charging port:	45
Input:	AC110-220V 50/60Hz
Output:	DC5V/40A
Size:	56*20*37cm
Weight:	5.8kg



CHG01

28-Slot charging case for TT128

Specification

Charging port:	28
Input:	AC110-220V 50/60Hz
Output:	DC5V/20A
Size:	46*20*27cm
Weight:	4.0kg



CHG02

45-Slot charging case for TT128

Specification

Charging port:	45
Input:	AC110-220V 50/60Hz
Output:	DC5V/40A
Size:	56*20*37cm
Weight:	5.8kg